

Lexmark MS417dn



An affordable mono printer. Higher speed and capacity.

The Lexmark MS417dn is an entry-level overachiever that boasts the speed, capacity and networking capabilities to handle small workgroups. With printing up to 38 pages per minute, a 6 cm (2.4 inch) colour LCD screen, keypad, advanced security, Gigabit networking and options like High Yield cartridges, wireless printing, higher input capacity and mobile print capability,* you'd expect to pay a lot more.

Faster output, with the same great print quality

Even complex documents print fast.

The MS417dn prints laser-sharp
graphics, text and images at up to
38 pages per minute. With Gigabit
networking and 256MB of memory,
your data is transferred and processed
before you know it. The first printed
page appears in as little as 6.5
seconds. Our exclusive UnisonTM
Toner delivers rich blacks and smooth
greys from the first print to the last,
without fading.



Up to 38 ppm



Unison Toner



Network



Security



Duplex



Mobility

Security, plus Confidential Print. Mobile print capability.

Extensive network security protects your device, information and network from unauthorised access. Keep your sensitive documents safe by enabling the Confidential Print feature, which requires entering a customised, unique PIN on the device's keypad before the document can be printed.

Print from mobile devices using an optional Wi-Fi adapter or Lexmark's free Mobile Print app.



4-year Guarantee

Given the choice, wouldn't you prefer to buy a device that protects your investment with a guarantee? The affordable MS417dn is so well made, we back it with a guarantee that covers repair actions including the cost of spare parts if they are needed in the first four years**. The guarantee also offers you free 24-hour online support and access to technical support by phone during working hours.



High Yield cartridges produce up to 8,500 pages

Available High Yield cartridges can produce up to 8,500 pages and never require shaking—minimising interruptions and reducing cost per page. Lexmark's print system and exclusive Unison™ Toner also help keep your cost of printing low by ensuring consistent print quality throughout the life of the cartridge by preventing wasted prints.

Easy to use

The MS417dn is simple to install, easy to use and offers full compatibility with nearly every operating system and network. You can quickly monitor the operating status and supply levels on the printer's easy-to-use, 6 cm (2.4 inch) colour LCD screen, or from a remote location through its web interface.

Built to last, the MS417dn lets you easily print up to 7,200 pages per month, thanks to our state-of-the-art paper handling technology and long-life consumables. Add an extra paper tray to boost input to 850 pages for fewer interruptions.

Eco-friendly

Built-in two-sided printing reduces paper use. The instant warm-up fuser saves energy and delivers the first page as fast as 6.5 seconds. Select an energy-saving mode (Quiet, Hibernate or Eco) to automatically minimise noise and energy consumption.

Through LCCP, the Lexmark Cartridge Collection Programme, Lexmark offers a free and easy way for you to return your empty cartridges for sustainable recycling or remanufacturing. Learn more at http://www.lexmark-emea.com/LCCP/recycling



Product specifications	Lexmark MS417dn
Printing	
Display	6 cm (2.4-inch) Colour LCD display
Print Speed: Up to ⁶	Black: 38 ppm
Time to First Page: As fast as	Black: 6.5 seconds
Print Resolution	Black: 1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi
Memory / Processor	standard: 256 MB / maximum: 256 MB / Dual Core, 800 MHz
Hard Disk	Not Available
Recommended Monthly Page Volume ²	750 - 7,200 Pages
Maximum Monthly Duty Cycle: Up to ³	100,000 pages per month
Supplies ⁷	
Laser Cartridge Yields (up to) ¹	2,500-page Cartridge, 8,500-page High Yield Cartridge
Imaging Unit Estimated Yield: Up to	60,000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage
Cartridge(s) Shipping with Product ¹	2,500-page Starter Return Programme Toner Cartridge
Paper Handling	
Included Paper Handling	250-Sheet Input, 50-Sheet Multipurpose Feeder, 150-Sheet Output Bin, Integrated Duplex
Optional Paper Handling	250-Sheet Tray, 550-Sheet Tray, 550-Sheet Lockable Tray
Paper Input Capacity: Up to	Standard: 300 pages 75 gsm bond / Maximum: 850 pages 75 gsm bond
Paper Output Capacity: Up to	Standard: 150 pages 75 gsm bond / Maximum: 150 pages 75 gsm bond
Media Types Supported	Card Stock, Envelopes, Paper Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide.
Media Sizes Supported	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, DL Envelope, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal, Oficio, A6
General Information⁴	
Standard Ports	Centronics IEEE 1284 Bidirectional Parallel, USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000)
Optional Network Ports	MarkNet N8352 802.11b/g/n Wireless
Noise Level: Operating	Print: 54 dBA
Specified Operating Environment	Temperature: 16 to 32°C (60 to 90°F), Humidity: 8 to 80% Relative Humidity, Altitude: 0 - 2,896 Metres (9,500 Feet)
Product Guarantee ⁸	4-Year Guarantee - Upon Registration Only
Size (mm - H x W x D) / Weight	263 x 399 x 382 mm / 14.2 kg
Part Number	35SC282

¹Average standard page yield value declared in accordance with ISO/IEC 19752. ²"Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. ³"Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. ⁴Printers are sold subject to certain license/agreement conditions. See www.lexmark. com/printerlicense for details. ⁵Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. ⁴Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: www.lexmark.com/ISOspeeds. ⁻Product functions only with replacement cartridges designed for use in a specific geographical region. See www.lexmark. com/regions for more details. ⁵Offer applies if the product is registered within 90 days from the date of purchase. Supplies and/or consumable parts, such as fuser or transfer unit, are excluded. Please refer to the detailed terms and conditions available at lexmark.com/myguarantee.





